

Cleeve Road Leathernead Surrey KT22 7RU, United Kingdom (2) Telephone +44 (0)1372 802000 Fax +44 (0)1372 802238 www.piranet.com

est laporator, number

05A12J1677

Page 1 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

or part to others without written concent

Attention: Nigel Suttie

Test material: Two samples of PET bottle identified as:

> 1. PARS PET BG 781 2. PARS PET BG 821

panizapolymer.com P.C.C. (UK) Ltd. Sampled and supplied by:

> Samples received: 4 November 2005

Date(s) of testing: 4 November to 12 December 2005

Test(s) required: Overall migration by filling into simulants B, C and D; panizapolymer.com

exposure conditions 10 days at 40°C.

Overall migration simulants and conditions as defined in panizapol

EC Directive 97/48/EC.

Simulant B -3% w/v acetic acid Simulant C -10% v/v ethanol Simulant D rectified olive oil

Specific migration of terephthalic acid and isophthalic acid into 3% acetic acid, 10% ethanol and olive oil. Exposure conditions as specified for overall migration.

Specific migration of ethylene glycol (MEG/DEG) into 3% acetic acid 10% ethanol and olive oil. Exposure conditions as specified for overall migration

Migration of Antimony into 3% Acetic Acid.

Matthew Gravett

Tested Date

Checked

Dr Alistair Irvine



Pira International Cleeve Road Leatherhead Surrey KT22 7RU, United Kingdom Telephone +44 (0)1372 802000 Fax +44 (0)1372 802238

Est aboratory number

Reference number 05A12J1677

Page

Page 2 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE The report is made subject to the conditions that it is confidential and may not be gooded in whose

Attention: Nigel Suttie

Determination of the levels of lead (Pb), cadmium (Cd), chromium (Cr) and mercury (Hg).

Method(s):

Overall migration into aqueous simulants (B and C)
After exposure to the simulant under conditions specified, test specimens were removed from contact; the aqueous extract was transferred to a weighed container and evaporated to dryness and constant weight.

EN 1186 - 9 - single side contact by filling.

Overall migration into olive oil (simulant D)

After exposure to the simulant under conditions specified, test specimens were removed from contact; excess oil blotted off, and re-weighed. Absorbed oil was determined by extraction and GC quantification.

EN 1186-2 - total immersion

Matthew Gravett

Tested Date

Dr Alistair Irvine



Pira International
Cleeve Road Leatherhead Surrey KT22 7FU, United Kingdom
Telephone +44 (0)1372 802000
Fax +44 (0)1372 802238
www.w.piranet.com

panizap

Test laborator, number 05A12J1677

Page 3 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

This report is made subject to the conditions that it is confidential and may not be disclosed in whole or part to others without written consent.

Attention: Nigel Suttie

Test results:

The overall migration is expressed in milligrams per kilogram of foodstuff (mg/kg), as specified in EC Directive 2002/72/EC for containers between 500 ml and 10 l in volume. Where the total immersion method was used, results were calculated taking into account the area of only one surface of the test specimen, i.e. for a 1 dm² test specimen the surface area used for the calculation was 1 dm².

The results were calculated assuming the following ratios,

- 1. PARS PET BG 781 1.0 litre in contact with 5.3dm².
- 2. PARS PET BG 821 1.0 litre in contact with 5.4dm².

Sample: 1) PAR
Test conditions: 10 days

1) PARS PET BG 781 200 10 days at 40°C

Method Replicates 1 2 3 4 Mean result Limit	EN 1186-9 Migration into 3% w/v acetic acid (Simulant B) mg/kg 0.0 2.0 1.5 - 1.2 60.0	EN 1186-9 Migration into 10% v/v ethanol (Simulant C) mg/kg 1.0 2.0 4.0 - 2.3 60.0	EN 1186-2 Migration into olive oil (Simulant D) mg/kg 0.0 0.0 0.0 0.0 0.0 60.0	
panizapolymer	pani	zapolymer.	80.0	

Matthew Gravett

Dr Alistair Irvine

Tested M. CRUECE

Checked

Date



Pira International
Cleave Road Leatherhead Surrey K122 7RU, United Kingdom
Telephone +44 (0)1372 802000
Fax +44 (0)1372 802238
www.piranet.com

lest aboratory number

Reference rumber 05A12J1677

Page 4 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE his report is made subject to the conditions that if is configuratial and may not be disclosed in whole

Attention: Nigel Suttie

Sample: PARS PET BG 821
Test conditions: 10 days at 40°C

t conditions:	10 days at 40°C			
	EN 1186-9 Migration into 3% w/v acetic acid	EN 1186-9 Migration into 10% v/v ethanol	EN 1186-2 Migration into olive oil	
Method Replicates	(Simulant B) mg/kg	(Simulant C) mg/kg	(Simulant D) mg/kg	
1	1.0	2.0	2.7	
2	3.0	1.5	3.8	
3	2.5 C	3.0	0.0	
4	JAN I	(2)	0.0	
Mean result	2.2	2.2	1.6	
Limit	60.0	60.0	60.0	

Matthew Gravett

Dr Alistair Irvine

Tested U Caract

Checked

Date



Cleave Road Leatherhead Surrey KT22 7RU, United Kingdom (20) Telephone +44 (0)1372 802000 Fax +44 (0)1372 802238 www.piranet.com

panizap

est laborator, number 05A12J1677 Page 5 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

or purt to office without written consent

Attention: Nigel Suttie

Method(s):

Specific migration of ethylene glycol (MEG) and diethylene glycol (DEG) using method ENV 13130-7: 1999

Specific migration was determined into 3% acetic acid, 10% ethanol and olive oil with test conditions as per the overall migration test. The level of MEG and DEG in the exposed food simulant was determined by cold on column GC with FID detection.

Test Results (Non UKAS):

Where no MEG or DEG was found the value quoted is the limit of detection for the method.

Specific migration of ethylene glycol (MEG) and diethylene glycol (DEG) into the following food ilvmer.com simulants (mg/kg):

		simulants (mg/k	of (DEG) into the follogy: (g):	owing food
Sample		3% acetic acid	10% Ethanol	Olive Oil
PARS PET BG 781	MEG + DEG	< 5.8	< 5.8	< 3.5
PARS PET BG 821	MEG + DEG	< 5.8	< 5.8	< 3.5

The specific migration limit given in EC Directive 2002/72/EC for ethylene glycol (as the combined total of MEG + DEG) is 30 mg per kg of foodstuff.

Matthew Gravett

Dr Alistair Irvine

Tested Date



Pira International
Clerve Road Leatherhead Surrey KT22 7FU, United Kingdom
Exephone +44 (0)1372 802000
Fax +44 (0)1372 802238
www.piranet.com

Reference number 05A12J1677

ass laboratory number

Page 6 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

This report is made subject to the conditions that this confident all and may not be discussed in whole or part to others without written consent.

Attention: Nigel Suttie

Method(s):

Specific migration of terephthalic acid (TPA) and isophthalic acid (IPA) using method ENV 13130-2 Specific migration was determined into 3% acetic acid, 10% ethanol, olive oil with test conditions as per Overall Migration. The levels of terephthalic acid and isophthalic acid in the exposed food simulant were determined by HPLC.

Test Results (Non UKAS):

Where no IPA or TPA was found the value quoted is the limit of detection for the method.

Specific migration of terephthalic acid into the following food simulants (mg/kg):

Sample		3% acetic acid	10% Ethanol	Olive Oil
PARS PET BG 781	Terephthalic acid	< 0.8	< 0.8	< 0.5
PARS PET BG 781	Isophthalic acid	< 1.0 0123	< 1.0	< 0.6
PARS PET BG 821	Terephthalic acid	< 0.8	< 0.8	< 0.5
PARS PET BG 821	Isophthalic acid	< 1.0	< 1.0	< 0.6

The specific migration limit given in EC Directive 2002/72/EC for terephthalic acid is 7.5 mg per kg of foodstuff.

The specific migration limit given in EC Directive 2002/72/EC for isophthalic acid is 5 mg per kg of foodstuff

Matthew Gravett

Dr Alistair Irvine

Checked

Tested

Date



Cleeve Road Leatherhead Surrey KT22 7RU, United Kingdom O 2 Telephone +44 (0)1372 802000 Fax +44 (0) 1372 802238 www.piranet.com

Test aboretory number 05A12J1677 Page 7 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

This report is made subject to the conditions that it is confidential and may not be disclosed in whole or part to others without written consent.

Attention: Nigel Suttle

Antimony

Method(s):

Samples were exposed to 3% acetic acid under the conditions indicated below and the level of Antimony in the extracts was determined using flame atomic absorption spectrophotometry.

panizapolyme The analysis of exposed food simulants for antimony NB was carried out by an expert subcontractor.

Test Results (Non UKAS):

Specific migration of antimony (ppb) into 3% Acetic Acid

Sample	Conditions	Rep 1	Rep 2	Rep 3	Mean
PARS PET BG 781	10 days at 40°C	< 10	< 10	< 10	< 10
PARS PET BG 821	10 days at 40°C	< 10	< 10	< 10	< 10
		The limit sp	ecified in EC D	irective 2005/7	9/EC for
		the migratio	n of antimony	is 0.04 mg per	kg of food
		simulant (i.e	e. 40 ppb).		

Matthew Gravett

Dr Alistair Irvine

Tested

Date



Cleave Road Leatherhead Surrey K122 7RU, United Kingdom 200 O 2 Telephone +44 (0)1372 862000 Fax +44 (0)1372 802238 www.piranet.com

05A12J1677 Page 8 of 9

est laboratory number

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

Attention: Nigel Suttie

Method(s): panizapolymer.col

Determination of the levels of lead (Pb), cadmium (Cd), chromium (Cr) and mercury (Hg).

Portions of the samples were dissolved in an acid digestion bomb and the resultant solutions were analysed by atomic absorption spectrophotometry.

panizapolymer NB The analysis of the packaging sample for heavy metals was carried out by an expert subcontractor.

Test results:						
	Sample:	Level o	f Heavy M	letals in P	ackaging	(mg per
			kg of pa	ckaging	material)	
		Pb	Cd	Cr	Hg	Total
	PARS PET BG 781	4	< 5	12	< 1	< 22
	PARS PET BG 821	2	< 5	11 mel	C<1	< 19
			fied in EC I of lead, c			

The limit specified in EC Directive 94/62/EC for the combined total of lead, cadmium, mercury and hexavalent chromium is 100 mg/kg from 30 June 2001.

The limit specified in the CONEG regulations in the USA for the combined total of these elements is 100 mg per kg of packaging material.

Matthew Gravett

Tested

Checked

Date

Dr Alistair Irvine



Pira International Cleeve Road Leatherhead Surrey KT22 7RU, United Kingdom Telephone +44 (0):1372 802000 Fax +44 (0):1372 802238 www.piranet.com

zapolymer.cl

Peterense number 05A12J1677

Page 9 of 9

P.C.C. (UK) Ltd. NIOC House 4 Victoria Street London SW1H ONE

panizapolymer.cl

panizapolymer.com

This report is made subject to the conditions that is conflidential and may not be disclosed in which is and his others within well-the content.

Attention: Nigel Suttie



Pira's analytical group is accredited by UKAS against
ISO 17025. Unless otherwise indicated, all results in
this report are covered by our scope of accreditation.
All comments and opinions expressed are those of Pira
international and as such do not fall under our scope of
UKAS accreditation.

Samples will be retained for 3 months after the completion of testing and will then be disposed of, unless the client requests otherwise.

Matthew Gravett

zapolymer.com

Dr Alistair Irvine

Tested M Count

Date

Cleeve Road, Leathernead Surrey KT22 7RU United Kingdom Tel +44 (0) 1372 802000 Fax -44 (0) 1372 802238

www.piranet.com



20 December 2005

Food Contact Plastics

Certificate of Conformity with the Requirements of EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) as amended

Certificate no: 2005/2947

Product Name: 'PARS PET BG 781' Date of Issue:

Pira Reference No: 05A12J1667

Manufacturer/

Supplier: National Petrochemical Company, Iran

The above product has been tested for overall migration with the simulants and test conditions listed below. The food simulants and test conditions are those defined in EC Directive 97/48/EC and UK Statutory Instrument 1376(1998).

	Test Co	nditions
Food Simulants	Duration	Temp/°C
Simulants B, C and D	10 days	40°C

The overall migration results obtained were found to be below the overall migration limits defined in EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998).

Additionally, the above product contains 3 monomers and one additive which are listed with specific migration limits in section A of EC Directive 2002/72/EC as amended; terephthalic acid (SML = 7.5 mg/kg), isophthalic acid (SML = 5 mg/kg), ethylene glycol (SML = 30 mg/kg) and an antimony based additive (SML = 0.04 mg/kg). Tests showed that the limits specified for these substances in EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) are not exceeded under the above test conditions. The formulation contains no other constituents which are subject to restrictions under this legislation and is composed entirely of constituents which are either listed in this legislation, or exempt from its provisions.

The above product therefore fully meets the overall migration requirements of EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) as amended for use with all classes of foodstuff for;

- (a) any period at temperatures up to 40°C, and/or
- (b) periods up to 2 hours at temperatures up to 70°C, and/or
- (c) periods up to 15 minutes at temperatures up to 100°C,

as specified in EC Directive 97/48/EC.

Certified by: Dr Alistair Irvine

Cleeve Road, Leatherhead Surrey, KT22 7RU, United Kingdom Tel., +44 (0) 1372, 802000

Fax +44 (0) 1372 802238

WWW.piranet.com



Food Contact Plastics

Certificate of Conformity with the Requirements of EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) as amended

Certificate no: 2005/2948

Product Name: 'PARS PET BG 821'

Date of Issue:

20 December 2005

Pira Reference No: 05A12J1667

Manufacturer/

Supplier: National Petrochemical Company, Iran

The above product has been tested for overall migration with the simulants and test conditions listed below. The food simulants and test conditions are those defined in EC Directive 97/48/EC and UK Statutory Instrument 1376(1998).

	Test Conditions		
Food Simulants	Duration	Temp/°C	
Simulants B, C and D	10 days	40°C	

The overall migration results obtained were found to be below the overall migration limits defined in EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998).

Additionally, the above product contains 3 monomers and one additive which are listed with specific migration limits in section A of EC Directive 2002/72/EC as amended; terephthalic acid (SML = 7.5 mg/kg), isophthalic acid (SML = 5 mg/kg), ethylene glycol (SML = 30 mg/kg) and an antimory based additive (SML = 0.04 mg/kg). Tests showed that the limits specified for these substances in EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) are not exceeded under the above test conditions. The formulation contains no other constituents which are subject to restrictions under this legislation and is composed entirely of constituents which are either listed in this legislation, or exempt from its provisions.

The above product therefore fully meets the overall migration requirements of EC Directive 2002/72/EC and UK Statutory Instrument 1376(1998) as amended for use with all classes of foodstuff for;

- (a) any period at temperatures up to 40°C, and/or
- (b) periods up to 2 hours at temperatures up to 70°C, and/or
- (c) periods up to 15 minutes at temperatures up to 100°C,

as specified in EC Directive 97/48/EC.

Certified by: Dr Alistair Irvine

Cleeve Road, Leatherhead Surrey KT22 7RU United Kingdom Tel +44 (0) 1372 802000 Fax +44 (0) 1372 802238

www.piranet.com



Packaging and Packaging Waste (Essential Requirements) Certificate of Conformity with the Heavy Metal Requirements of EC Directive 94/62/EC (as amended), UK Statutory Instrument 1165(1998) and the CONEG Regulations (USA/Canada)

Certificate no: 2005/2949

panizapolymer.com Supplier/Manufacturer: National Petrochemical Company, Iran

Regarding Products: 'PARS PET BG781'

Date of Issue: 20 December 2005

The above product is in compliance with ultimate limit (in force from 30 June 2001) specified in EC Directive 94/62/EC, as amended, 'The Packaging and Packaging Waste Directive' for the combined levels of lead, cadmium, mercury and hexavalent chromium. The product therefore also complies with the heavy metal requirements of UK Statutory Instrument 1165(1998) which enforces this Directive in the UK.

The above product is also in compliance with the limit for heavy metals contained in the CONEG regulations which are in force in a number of the states in the USA and Canada.

The limit specified in EC Directive 94/62/EC, as amended, for the combined total of lead. cadmium, mercury and hexavalent chromium is as follows:

100 mg/kg from 30 June 2001

The limit specified in the CONEG regulations in the USA for the combined total of these elements is 100 mg per kg of packaging material.

Certified by: Dr A M L Irvine

Cleeve Road, Leatherhead Surrey KT22 7RU United Kinggorn Tel +44 (0) 1372 802000

Fax +44.(0) 1372 802238



Packaging and Packaging Waste (Essential Requirements) Certificate of Conformity with the Heavy Metal Requirements of EC Directive 94/62/EC (as amended), UK Statutory Instrument 1165(1998) and the CONEG Regulations (USA/Canada)

Certificate no: 2005/2950

Supplier/Manufacturer:

_{panizapolymer.com} National Petrochemical Company, Iran

Regarding Products:

'PARS PET BG821'

Date of Issue:

20 December 2005

The above product is in compliance with ultimate limit (in force from 30 June 2001) specified in EC Directive 94/62/EC, as amended, 'The Packaging and Packaging Waste Directive' for the combined levels of lead, cadmium, mercury and hexavalent chromium. The product therefore also complies with the heavy metal requirements of UK Statutory Instrument 1165(1998) which enforces this Directive in the UK.

The above product is also in compliance with the limit for heavy metals contained in the CONEG regulations which are in force in a number of the states in the USA and Canada.

The limit specified in EC Directive 94/62/EC, as amended, for the combined total of lead, cadmium, mercury and hexavalent chromium is as follows;

100 mg/kg from 30 June 2001

The limit specified in the CONEG regulations in the USA for the combined total of these elements is 100 mg per kg of packaging material.

Certified by: Dr A M L Irvine